


VÍG - tech.riderFIX – 2014



VÍG - tech.riderFIX – 2014

Front of house

- 14 Niethammer 2000W HPZ 215D 15-40' zoom profile
- 2 Niethammer 2500W MZU 256 Fallow Spot
- 2 ETC750

Balcony Left

- 6 Niethammer 2000W HPZ 215D 15-40' zoom profile
- 5 Selecon Pacific zoom spot 800W 14-35'
- 3 ADB Europe 2000W C201 5-65' plano-convex (with scroller)
- 4 High End Studio Spot 575
- 2 High End Studio Color 575
- 1 Niethammer 2500W MZU 256 Fallow Spot

Balcony Right

- 6 Niethammer 2000W HPZ 215D 15-40' zoom profile
- 5 Selecon Pacific zoom spot 800W 14-35'
- 3 ADB Europe 2000W C201 5-65' plano-convex (with scroller)
- 4 High End Studio Spot 575
- 2 High End Studio Color 575
- 1 Niethammer 2500W MZU 256 Fallow Spot

Side pipe left

- 3 ADB Europe 2000W C201 5-65' plano-convex (with scroller)

Side pipe Right

- 3 ADB Europe 2000W C201 5-65' plano-convex (with scroller)

Proscenium tower left(3 levels)

1 Level (proscenium stage)

- 2 PAR64 1000W CP61
- 1 ADB650W

2 Level

- 1 Selecon Pacific zoom spot 800W 14-35'
- 1 ADB Europe 1200W C101 10-65' plano-convex

3 Level

- 2 PAR64 1000W CP61
- 1 24V Niethammer Beam Light

Proscenium tower Right(3 levels)

1 Level (proscenium stage)

- 2 PAR64 1000W CP61
- 1 ADB650W

2 Level

- 1 Selecon Pacific zoom spot 800W 14-35'
- 1 ADB Europe 1200W C101 10-65' plano-convex

3 Level

- 2 PAR64 1000W CP61
- 1 24V Niethammer Beam Light

Tower on stage min.3 levels Left

- 6 ADB Europe 2000W C201 5-65' plano-convex
- 3 Niethammer 1200W HPZ 112D 12-24' zoom profile
- 2 PAR64 1000W CP61 (on stage)

Tower on stage min.3 levels Right

- 6 ADB Europe 2000W C201 5-65' plano-convex
- 3 Niethammer 1200W HPZ 112D 12-24' zoom profile
- 1 PAR64 1000W CP61 (on stage)
- 1 ARRI 1200W (on stage)

Balcony coves left

- 5 Niethammer 1200W HPZ 112D 12-24' zoom profile
- 5 24V Niethammer Beam Light

Balcony coves Right

- 5 Niethammer 1200W HPZ 112D 12-24' zoom profile
- 5 24V Niethammer Beam Light

Climbing trasses prosc.II

- 4 PAR64 1000W CP61
- 8 Niethammer 2000W HPZ 215D 15-40' zoom profile

Climbing trasses prosc.I

- 8 ADB Europe 1200W C101 10-65' plano-convex
- 6 24V Niethammer Beam Light

Moving bridge

- 10 Niethammer 1200W HPZ 112D 12-24' zoom profile
- 8 ETC750
- 4 24V Niethammer Beam Light
- 3 ADB Svoboda HT 2251 9-units 230V
- 4 High End DL3

Fix bridge

- 4 Martin MAC 700 Profile
- 3 ADB Svoboda HT 2251 9-units 230V

Horizont I

- 3 ADB Svoboda HT 2251 9-units 230V
- 5 Niethammer 2000W HPZ 215D 15-40' zoom profile
- 5 Martin MAC 550
- 16 PAR64 1000W CP61

HorizontII

- 3 ADB Svoboda HT 2251 9-units 230V
- 8 PAR64 1000W CP61
- 2 Martin MAC 700 Profile
- 2 Martin MAC 700 Wash

Mobil equipment

- 6 items - ADB Europe 2000W C201 5-65' plano-convex
- 4 items – ETC575 Zoom Jr. 25-50
- 30 items - PAR64 1000W CP61 altman
- 6 items - ETC Source Four PARnel HPL750W 25-45'
- 4 items - Niethammer 1200W HPZ 112D 12-24' zoom profile
- 4 items - Niethammer 2000W HPZ 215D 15-40' zoom profile
- 2 items - Jam ZR12
- 1 items – jam Glacierator

Projecting positions

The data on the stage "zero" from the point sizes included. The stage "zero" point in the middle line of the Iron Curtain, both financially and height deep.

Front of house(FOH) - távolság:20méter, magasság:10méter
Balcony Left - távolság:6méter, magasság:10méter
Balcony Right - távolság:6méter, magasság:10méter
Side pipe left - távolság:6méter, magasság:9méter
Side pipe Right - távolság:6méter, magasság:9méter
Proscenium tower left(2 levels) - távolság:1méter, magasság:4 és 7méter
Proscenium tower Right(2 levels) - távolság:1méter, magasság:4 és 7méter
Tower on stage min.3 levels Left - távolság:1méter, magasság: 3 és 5 és 7méter
Tower on stage min.3 levels Right - távolság:1méter, magasság:3 és 5 és 7méter
Balcony coves left - magasság:10méter
Balcony coves Right - magasság:10méter
Climbing trasses prosc.II - távolság:4méter, magasság:9méter
Climbing trasses prosc.I - távolság:2méter, magasság:8méter
HorizontIII - távolság:9,5méter, magasság:-méter
Fix bridge - távolság:3,5méter, magasság:10méter
Horizont I - távolság:7,5méter, magasság:-méter
Moving bridge - távolság:1méter, magasság(max)7méter

Projectors

2pcs Christie LX 1500
Brightness: 15.000 ANSI Lumen
Resolution: XGA
Inputs: S-video, BNC composite, RGBHV (BNC), DVI-D, VGA
Optics: 0,8-as fix-focus, 1,1-1,5 powered zoom , 2,0-2,6 powered zoom

1pc Panasonic PT-DZ21K
Brightness: 20.000 ANSI Lumen
Resolution: WUXGA 1920x1200
Inputs: DVI, HDMI, 5BNC-RGBHV/YUV/YC, D-Sub HD15, RS232, LAN
Optics: 1.3-1.7:1 lens

Projector screens

1 pcs 4x3 meters white
1 pcs 2,5x3 meters white
1 pcs 2,4x1,8 meters white

Background cycs

1 pcs 16x10 meters white screen
1 pcs 10x10,5 meters white screen
1 pcs 10x9,5 meters white screen
1 pcs 16x10,5 meters gray screen

Made by Balazs Csontos /2014